



# TMV2 Scheme - Approved Valves



The following Valves comply with the requirements of the BuildCert TMV2 Scheme for the uses indicated in that they meet the performance requirements of BS EN 1111:1999 and/or BS EN 1287:1999 and the additional requirements of the Scheme.

Note: (T 0.2 meets the flowrate requirements of BS EN 1287 of 15 L/min at a dynamic supply pressure of 0.2 bar (BS EN 1287 0.1 bar))

Note: (Cold Isol 46 meets the requirements of the additional cold water isolation test conducted at 46degC)

Licensee	Mixing Valve	ID	Certificate	High Pressure (0.5 - 10 bar)			Low Pressure (0.1 - 1 bar)				T 0.2	Cold Isol 46	Comments				
				B	S	W	T	B	S	W				T			
				BS EN 1111:1999			BS EN 1287:1999										
				B	S	W	T	B	S	W				T	T	Cold Isol 46	
A.L. Challis Ltd	9200-7700		BC 086 0904	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Bath shower mixer				
A.L.Challis Ltd	FMM 9210-7700, FMM 9211-7700		BC 085 0904	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Shower mixer				
Altecnic Ltd	BO60007CP Thermostatic Mixing Valve		BC 352 0308	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Meets the bath flowrate requirement at 0.2 bar supply pressure				
Aqualisa Products Ltd	Aqualisa TMV2 UB		BC 242 0806	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Incorporating integral check valves and strainers				
Aqualisa Products Ltd	BSMTMV2		BC 311 0507	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Deck mounted washbasin				
Aqualisa Products Ltd	BBVTMV3C and BBVTMV3E, exposed and concealed shower valves		BC 310 0507	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Shower Valve				
Bristan Group Limited	Sirrus MT503 CP 15mm and 22mm Sirrus MT503 CP - ISO (isolation valve)		BC 283 0707	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Thermostatic Mixing Valve Tee type				
Bristan Group Limited	Sirrus IBV-T3		BC 256 0507	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Thermostatic Shower Mixing Valve				

Licensee	Mixing Valve	ID	Certificate	High Pressure (0.5 - 10 bar)			Low Pressure (0.1 - 1 bar)				LP		Comments
				BS EN 1111:1999			BS EN 1287:1999				T 0.2	Cold Isol 46	
				B	S	W	T	B	S	W			
Bristan Group Limited	Bar Type Shower valve	BC 531 0909	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	DUL SHX ASFF C, DUX SHX ARFF C, DUC SHX ARFF C, AR SHX VOFF C, IFLO 386986.	
Bristan Group Limited	Sirrus Solo-T3 BSM	BC 291 0508	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Bath shower mixer	
Bristan Group Limited	MT753 Tee type valves 22mm MT753CP - ISO (integral isolation valves)	BC 565 0210	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
BSS Group Plc	Bossmix TMV2	BC 202 0406	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15mm and 22mm available with angle connections, 15mm for HP use only	
BSS Group Plc	Bossmix Tee type valves BMTMV215 and 215AC BMTMV222 and 222AC	BC 417 0808	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	For low pressure B, S and W use 22mm only, having hexagonal body	
Caleffi Spa	521315, 15mm Tee type Valve 521322, 22mm Tee type valve	BC 413 0808	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	For low pressure B, S and W use 22mm only, having either round body or hexagonal body (LTC), 5213 printed on cap	
Comap Westco	Safeguard UW05330 15mm and UW05331 22mm Tee type valve	BC 546 0909	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Crosswater	Range of concealed wall mounted shower valves WL1000 RC, WL2001RC, WL2000RC, WL3000RC and handle variants	BC 297 0308	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Shower valve. WL3000RC For HP use only	

Licensee	Mixing Valve	ID	Certificate	High Pressure (0.5 - 10 bar)			Low Pressure (0.1 - 1 bar)				LP		Comments
				BS EN 1111:1999			BS EN 1287:1999				T 0.2	Cold Isol 46	
				B	S	W	T	B	S	W			
Deva Tap Company	DLT TSM106 Bath Shower mixer	BC 357 1207	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	For LP Bath use, minimum supply pressure 0.2bar	
Deva Tap Company	Deva Shower range 7000 with handle variants Azure, Envy, Georgian, VSN 7000 SHW.	BC 379 0308	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Concealed and exposed shower valve	
Deva Tap Company	Deva Shower Range 'Azure', 'Envy', 'Georgian' AZ7000SHW, EN7000SHW, GE7000SHW Comp AZ7000, Comp EN7000, Comp GE7000, VSN 7000 SHW.	BC 379 0308	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Deva Tap Company	TLV106, DYN106	BC 551 0909	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	TLV ceramic headwork DYN mechanical headwork Pillar or wall mounted	
Deva Tap Company	Thermosure	BC 255 1205	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Flowrate series 100	
Deva Tap Company	Thermosure DTV2 single outlet and handle variants Thermosure DTV3 double outlet and handle variants	BC 296 0207	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Shower outlet	
Douglas Group Ltd	Thermomix 217000, 217010, 217050	BC 142 0405	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Shower valve	
Frese A/s	Series 160	BC 73 1005	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Grohe AG	Grotherm 3000 34 185, 34 186, 34 187 & 34 188	BC 222 0706	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Bath/Shower	

Licensee	Mixing Valve	ID	Certificate	High Pressure (0.5 - 10 bar)			Low Pressure (0.1 - 1 bar)				LP		Comments
				BS EN 1111:1999			BS EN 1287:1999				T 0.2	Cold Isol 46	
				B	S	W	T	B	S	W			
Grohe AG	Grohtherm 2000 34 174, 34 175 & 34 176	BC 219 0706	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Bath/Shower	
Grohe AG	Grohtherm 2000 Concealed 34 235	BC 220 1006	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Shower	
Grohe AG	Grohtherm 1000 Exposed 34 143, 34 146 & 34 229	BC 214 0606	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Shower	
Grohe AG	Grohtherm 34.214	BC 226 0507	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Concealed bath shower mixer	
Grohe AG	Grohtherm 1000 Exposed 34 155, 34 156 & 34 227	BC 215 0606	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Bath/Shower	
Grohe AG	Grohtherm 2000 Concealed 34 216	BC 218 0706	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Shower	
Grohe AG	Grohtherm 2000 34 169, 34 170 & 34 232	BC 217 0606	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Shower	
Grohe AG	Grohtherm bath shower mixer 34.211	BC 224 0507	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Bath Shower mixer	
Grohe AG	Grohtherm BSM Concealed 34.212	BC 225 0507	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Concealed shower valve	
Grohe AG	Grohtherm 1000 concealed 34.161	BC 216 0606	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Shower	
Grohe AG	Grohtherm 3000 34 179, 34 180, 34 181 & 34 196	BC 221 0606	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Shower	

Licensee	Mixing Valve	ID	Certificate	High Pressure (0.5 - 10 bar)			Low Pressure (0.1 - 1 bar)				LP		Comments
				BS EN 1111:1999			BS EN 1287:1999				T 0.2	Cold Isol 46	
				B	S	W	T	B	S	W			
Hansgrohe Ltd	Axor concealed shower valve. Basic set ibox universal 01800180 and various trim and handle variants	BC 556 0410	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Trim and handle variants 10 720/726. 15 720/721. 16 820, 17 720/725, 18 750, 35 720, 36 720, 37 725, 38 720, 39 720, 39 725	
Hansgrohe Ltd	Range of wall mounted concealed shower valves.	BC 555 0210	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	01800180 basic ibox and handle and trim variants	
Hansgrohe Ltd	15 379 000 Kit 15 374 180 Ecostat iBox 27 006 000 Marin Centostat shower set	BC 118 1205	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Shower valve	
Hansgrohe Ltd	Ecomax 13 354 xxx Ecomax 14 242 xxx Marin Censostat 27 094 xxx	BC 119 0605	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Bath Shower mixer	
Hansgrohe Ltd	Ecomax 13356000 Marin Censostat 27096000	BC 117 0405	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Shower valve	
Hansgrohe Ltd	Concealed thermostatic shower valve. 01800180 basic ibox with trim and handle variants	BC 555 0210	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Trim and handle variants 10 710. 10 716, 15 710, 15 711 16 810, 17 710, 17 715, 18740, 35 710, 37 710, 37 715, 38 375, 39 710, 39 715.	
Hansgrohe Ltd	Axor Starck concealed shower valve. Basic set ibox universal 01800180 and various trim and handle variants	BC 488 0809	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Trim and handle variants 10 700/706. 15 700/701. 16 800, 17 700/705, 18 745, 35 700, 37 700/705, 38 700, 39 700/705	
Hansgrohe Ltd	Axor Carlton 17670 Axor Terrano 37670	BC 180 0206	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Shower valve set	

Licensee	Mixing Valve	ID	Certificate	High Pressure (0.5 - 10 bar)			Low Pressure (0.1 - 1 bar)				LP		Comments	
				BS EN 1111:1999			BS EN 1287:1999				T 0.2	Cold Isol 46		
				B	S	W	T	B	S	W				T
				B S W	T	Cold Isol 46	B	S	W	T	T 0.2	Cold Isol 46		
Hansgrohe Ltd	High Flow Mixer 157 150 With handle variants		BC 150 0606	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		For use with universal I box 01800180
Hansgrohe Ltd	Ecostat 1001 SL 132 410 00, Mixer 101 SL care 13 284 xxx, 16 241 xxx, 17 241 xxx, 37 241 xxx, FOX 14 244 xxx		BC 165 0905	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Bath shower mixer
Hansgrohe Ltd	Ecostat 1001 SL, 13 278 000, 13 261 000, Care SL 13 282 xxx, 17 261xxx, 16 261 xxx, 37 261xxx, 39 365 xxx, FOX 14 246 xxx		BC 116 0505	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		shower valve
Honeywell	TM300		BC 141 0405	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		LP-T minimum supply pressure 0.2 bar
Ideal Standard UK Ltd	Nuastyle T Type valve S7436AA 22mm		BC 432 0509	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
Ideal Standard UK Ltd	S7435AA Thermostatic valve 15mm		BC 435 1008	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Tee Type valve
Intatec Ltd	Inta Plus 920000 CP BSM, 910012 CP, 910011CP (handle variants)		BC 227 0307	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Bar Bath Shower mixer
Intatec Ltd	Sulis 80002CP wall mounted bar shower valve		BC 482 0210	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Intatec Ltd	Deluge basin thermostatic mixer IT1002CP		BC 401 0708	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		two controls, temperature and flow
Intatec Ltd	Inta Ion Bar Shower Valve 10010CP Inta Deluge bar shower valve 10030CP		BC 158 0706	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Shower valve Deluge supplied with shower kit

Licensee	Mixing Valve	ID	Certificate	High Pressure (0.5 - 10 bar)			Low Pressure (0.1 - 1 bar)				LP		Comments
				BS EN 1111:1999			BS EN 1287:1999				T <sub>0.2</sub>	Cold Isol 46	
				B	S	W	T	Cold Isol 46					
Intatec Ltd	Intaduo, sequential or dual control	BC 084 0504	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Low pressure flowrate Series 125	
Intatec Ltd	Mood, Dual control and Sequential control Shower valve	BC 441 0509	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Exposed and Concealed versions	
Intatec Ltd	L - Mix Tee type valve 15mm and 22mm	BC 512 0709	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Intatec Ltd	I-Mix Tee Type valve	BC 498 0509	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	60009CP I-Mix 15mm 60008CP-I-Mix 22mm	
Intatec Ltd	Leisure showe valve 10019CP	BC 431 0109	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Shower valve	
Intatec Ltd	I Plus exposed and concealed shower valve	BC 279 0307	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Intatec Ltd	Mixcal 111, 521 series 15 & 22mm, 1/2 & 3/4	BC 094 0904	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Flowrate Series 80	
Intatec Ltd	Inta Plus concealed shower valve	BC 272 0907	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Intatec Ltd	Inta Plus bar shower IN 20014 CP	BC 128 0405	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Flowrate class 80 Shower valve	
Intatec Ltd	Inta Ion Bar/Shower valve - 10010CP Inta Deluge B/S valve - 10030CP Inta Deluge Primo B/S valve 10031CP Inta Delude Optimo B/S valve 10032CP	BC 158 0706	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Wall Mounted 2 Hole, Single Shower Outlet, Manually Adjusted Thermostatic Blending Valve	
Intatec Ltd	Eco dual control exposed or concealed shower valve	BC 131 0307	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Flowrate series 100	

Licensee	Mixing Valve	ID	Certificate	High Pressure (0.5 - 10 bar)			Low Pressure (0.1 - 1 bar)				LP		Comments
				BS EN 1111:1999			BS EN 1287:1999				T 0.2	Cold Isol 46	
				B	S	W	T	B	S	W			
				B	S	W	T	Cold Isol 46					
Jewson Graham	Altech 15, 22mm and MX version	BC 376 0308		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Kohler Mira Ltd	Mira Element SLT EV (1656.0210 exposed SLT BIV and BIR (1656.022) concealed	BC 648 0410		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	sequential exposed and concealed wall mounted shower
Kohler Mira Ltd	Mira Select Flex B	BC 423 1208		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Exposed or concealed shower valve
Kohler Mira Ltd	Mira Discovery Dual range Concentric exposed and concealed Bar Valve	BC 266 0307		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Bar valve for High Pressure use only Concentric valve for HP and LP use.
Kohler Mira Ltd	Mira Pace E	BC 410 0308		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Exposed and concealed shower mixing valve
Kohler Mira Ltd	Mira Moto E	BC 411 0308		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Exposed and concealed shower mixing valve
Kohler Mira Ltd	Mira Minilite E and B	BC 337 0308		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Exposed and concealed shower mixing valve
Kohler Mira Ltd	Rada 222-T3 TK	BC 305 0707		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	High & Low Pressure Bath Fill upto 44 degrees
Kohler Mira Ltd	Mira MiniDuo E and B	BC 339 0308		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Exposed and concealed shower mixing valve
Kohler Mira Ltd	Mira Excel BSM Bath shower mixer	BC 173 0606		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	LP tub fill at 0.2 bar supply pressure

Licensee	Mixing Valve	ID	Certificate	High Pressure (0.5 - 10 bar)			Low Pressure (0.1 - 1 bar)				LP		Comments
				BS EN 1111:1999			BS EN 1287:1999				T 0.2	Cold Isol 46	
				B	S	W	T	B	S	W			
				B S W	T	Cold Isol 46	B	S	W	T	T 0.2	Cold Isol 46	
Kohler Mira Ltd	Mira select flex E		BC 409 0308	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	dual control exposed shower valve
Kohler Mira Ltd	Meynell V8/3 EV, L, K, B, BIV, BL		BC 197 0406	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Flowrate Series 80
Kohler Mira Ltd	Mira Element, Silver, Salute, Symbol & Odela		BC 267 0707	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Range of Concealed and Wall Mounted Thermostatic Shower Valves
Kohler Mira Ltd	Mira Minilite EV, Mira Minilite BIV, Mira Bijou, Mira Ordo		BC 412 0308	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Exposed and concealed shower mixing valve
Kohler Mira Ltd	Mira Discovery		BC 154 0905	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Shower Mixer
Kohler Mira Ltd	Mira Select 1592.010, 1592.011		BC 271 1206	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Concealed or exposed
Kohler Mira Ltd	Rada V10 wall mounted shower valves		BC 675 0510	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Exposed, concealed and exposed with adjustable elbows versions
Kohler Mira Ltd	Mira Discover & Diverter 1691.015 concealed wall mounted valve		BC 585 0210	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Kohler Mira Ltd	Mira Verve BSM 1591.052/050		BC 518 0709	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Two hole single outlet Bath Shower mixer. wall mount and deck mount
Kohler Mira Ltd	Rada Autotherm 3		BC 527 1209	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
M&Z Spa/Carafax Ltd	V100, V150		BC 235 1206	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Licensee	Mixing Valve	ID	Certificate	High Pressure (0.5 - 10 bar)			Low Pressure (0.1 - 1 bar)				LP		Comments
				BS EN 1111:1999			BS EN 1287:1999				T 0.2	Cold Isol 46	
				B	S	W	T	B	S	W			
OMBG Srl	ART 305, 301 and handle variants	BC 262 1107	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Concealed shower valve	
OMBG Srl	ART 69410 (mechanical) ART 90410 (ceramic) Bath Shower Mixing Valve	BC 265 1207	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
OMBG Srl	ART 910 and handle variants	BC 270 1107	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Bar type shower valve	
OMBG Srl	ART 128, 120 and handle variants	BC 263 1107	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Bar type bath shower valve	
OMBG Srl	ART 23C, 23D and handle variants	BC 261 0907	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Exposed and concealed shower valve	
OMBG Srl	ART 2B1, 2B1and handle variants	BC 258 0707	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Concealed shower valve	
OMBG Srl	ART.6D210 Bath Shower Mixing Valve	BC 264 0108	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
OMBG Srl	D6010	BC 189 0206	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Shower valve	
OMBG Srl	ART 23A 23B and handle variants	BC 287 1107	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Exposed and concealed shower valve	
Paini Spa	6T Bath Shower mixer and handle variants	BC 476 0709	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Model 100, 105 and 111	
Pegler Yorkshire group	Peglertherm 404	BC 179 0306	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15mm & 22mm straight and angled version	
Pegler Yorkshire group	P404U and P404UA 15mm and 22mm	BC 459 0309	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Tee Type valve	

Licensee	Mixing Valve	ID	Certificate	High Pressure (0.5 - 10 bar)			HP	Low Pressure (0.1 - 1 bar)				LP	Comments
				BS EN 1111:1999				BS EN 1287:1999					
				B	S	W		T	Cold Isol 46	B	S		
Pegler Yorkshire group	Peglertherm 403	BC 120 1004	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Flowrate Series 80
Pegler Yorkshire group	Leger L555 & Performa 555 Bath Shower Mixer	BC 193 1205	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		Flowrate 80 at 0.1 bar Flowrate 250 at 0.2 bar
Pegler Yorkshire group	Performa T555 Bath shower mixer	BC 480 0509	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Minimum supply pressure for LP tub 0.2 bar
Pegler Yorkshire group	Pasco shower valve	BC 194 1205	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Shower Valve exposed or concealed Flowrate Series 80
Reliance Water Controls Lt	Heatguard LS2	BC 181 1205	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Cap printed Mix 025
Reliance Water Controls Lt	Heatguard BF2-2	BC 196 0406	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		Bath use only, minimum supply pressure 0.2 bar
Reliance Water Controls Lt	Heatguard DC2, 15 and 22mm	BC 469 0209	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Tee Type thermostatic valve
Reliance Water Controls Lt	Heatguard TMV2-2	BC 198 0406	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	For LP bath use minimum supply pressure 0.2bar
Rhoper Rhodes Ltd	Kinetic RRTAV6 bar shower valve (bottom outlet)	BC 589 0210	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Rhoper Rhodes Ltd	RRTAV2 concealed dual control single outlet shower valve.	BC 564 1209	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Having handle and trim variants
Rhoper Rhodes Ltd	RRTAV3 concealed double outlet shower valve	BC 563 1209	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	with handle and trim variants

Licensee	Mixing Valve	ID	Certificate	High Pressure (0.5 - 10 bar)			Low Pressure (0.1 - 1 bar)				LP		Comments
				BS EN 1111:1999			BS EN 1287:1999				T 0.2	Cold Isol 46	
				B	S	W	T	B	S	W			
Roper Rhodes Ltd	RR3	BC 391 0108	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Concealed triple control shower valve with handle variants	
Roper Rhodes Ltd	Kinetic RRTAV7 Bar shower valve (top outlet)	BC 590 0210	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Roper Rhodes Ltd	RR2	BC 390 0108	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Concealed dual control shower valve with handle variants	
Roper Rhodes Ltd	RR4 & RR5 Shower Mixing Valve	BC 356 0108	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Titan Valve Alliance Limited	Ozimiz-2	BC 190 1205	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Tee Type valve LP flowrate series 100	
Tre-Mercati Ltd	Tre-Mercati Caravan shower valve	BC 243 1006	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Triton Plc	T1M68 thermostatic shower valve and handle variants	BC 510 0509	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Triton plc	T1M01D exposed bar type shower valve	BC 541 0210	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Ultra Finishing Ltd	A3290, A3291, A3380 and handle variants	BC 125 0505	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Shower valve	
Vado (Eurobath Internation	Protherm	BC 350 1205	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Tee type valve, cap printed 5000-0/NP	
Valquest Ltd	VQ7 Thermostatic bar shower valve (top outlet)	BC 629 0410	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	With Handle and trim variants	
Valquest Ltd	VQ9 Thermostatic bar shower valve (bottom outlet)	BC 628 0410	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	With handle and trim variants	

Licensee	Mixing Valve	ID	Certificate	High Pressure (0.5 - 10 bar) HP			Low Pressure (0.1 - 1 bar) LP				T 0.2	Cold Isol 46	Comments
				BS EN 1111:1999			BS EN 1287:1999						
				B	S	W	T	Cold Isol 46	B	S			
Valquest Ltd	VQ4 and VQ5 exposed and concealed concentric shower mixers	BC 588 1209	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	With handle and trim variants	
Valquest Ltd	VQ6 bar type shower valve	BC 583 1209	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Valquest Ltd	Valquest DCB single outlet concealed shower TCB double outlet concealed shower	BC 254 0207	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Concealed shower valve	
Vega srl	Vega bath shower mixer TEB3005A00 and handle variants B/C/D/E/F/G	BC 147 1205	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Flowrate 80 at 0.1 bar Flowrate 250 at 0.2 bar	
Watts Cazzaniga Spa	Aquamix, 15 & 22mm	BC 083 0904	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Flowrate Series 100	
Watts UK Limited	MMV-C 15 and 22mm	BC 208 0706	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Option for angle valve	
Watts UK Ltd	Master Mixing Valve 97126 15mm 97127 22mm	BC 175 0206	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Flowrate series 80 for the 15mm valve & series 100 for the 22mm valve	
Watts UK Ltd	Watts Master Mixing Valve TMV2	BC 088 1004	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Flowrate Series 80	
William Wilson	Heatmaster BF2	BC 229 0406	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Bath use only, minimum supply pressure 0.2bar	
William Wilson	Heatmaster TMV2	BC 228 0406	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	For LP bath use, minimum supply pressure 0.2bar	
Wolseley UK	Saracen Highflow	BC 230 0406	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	For LP Bath use, minimum supply pressure 0.2bar	

Licensee	Mixing Valve	ID	Certificate	High Pressure (0.5 - 10 bar) HP			Low Pressure (0.1 - 1 bar) LP				T 0.2	Cold Isol 46	Comments
				BS EN 1111:1999			BS EN 1287:1999						
				B	S	W	T	B	S	W			
Wolseley UK Ltd	Saracen BF2		BC 231 0406	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Bath use only, minimum supply pressure 0.2bar
Wolseley UK Ltd	Nabis D12346 bar shower valve		BC 370 1207	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Xiamen Lota International C	60081 wall mounted concealed shower valve and handle variants		BC 367 0708	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Shower valve
Xiamen Lota International C	Shower valve 60080, 60190		BC 341 0308	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Wall mounted bar mixer